### §21.200

shall be equal to or greater than the bandwidth specified by the emission designator in Hertz (e.g., to be acceptable, equipment transmitting at a 6 Mb/s rate must not require a bandwidth of greater than 6 MHz), except the bandwidth used to calculate the minimum rate shall not include any authorized guard band.

(b) For purposes of compliance with the emission limitation requirements of §21.106(a)(2) of this part and the requirements of paragraph (a) of this section, digital modulation techniques are considered as being employed when digital modulation contributes 50 percent or more to the total peak frequency deviation of a transmitted radio frequency carrier. The total peak frequency deviation shall be determined by adding the deviation produced by the digital modulation signal and the deviation produced by any frequency division multiplex (FDM) modulation used. The deviation (D) produced by the FDM signal shall be determined in accordance with §2.202(f) of part 2 of this chapter.

(c) Transmitters employing digital modulation techniques shall effectively eliminate carrier spikes or single frequency tones in the output signal to the degree which would be obtained without repetitive patterns occurring in the signal.

 $[44\ {\rm FR}\ 60534,\ {\rm Oct.}\ 19,\ 1979,\ {\rm as}\ {\rm amended}\ {\rm at}\ 46\ {\rm FR}\ 23451,\ {\rm Apr.}\ 27,\ 1981;\ 49\ {\rm FR}\ 37775,\ {\rm Sept.}\ 26,\ 1984;\ 58\ {\rm FR}\ 49226,\ {\rm Sept.}\ 22,\ 1993;\ 61\ {\rm FR}\ 26676,\ {\rm May}\ 28,\ 1996]$ 

## **Subpart D—Technical Operation**

## §21.200 Station inspection.

The licensee of each station authorized in the radio services included in this part shall make the station available for inspection by representatives of the Commission at any reasonable hour.

 $[44~{\rm FR}~60534,~{\rm Oct.}~19,~1979,~{\rm as~amended~at~52~FR~37783,~Oct.}~9,~1987]$ 

## §21.201 Posting of station license.

(a) The instrument of authorization, a clearly legible photocopy thereof, or the name, address and telephone number of the custodian of the instrument of authorization shall be available at

each station, booster station authorized pursuant to §21.913(b) and MDS response station hub. Each operator of an MDS booster station shall post at the booster station the name, address and telephone number of the custodian of the notification filed pursuant to §21.913(e) if such notification is not maintained at the booster station.

(b) If an MDS station, an MDS booster station or an MDS response station hub is operated unattended, the call sign and name of the licensee shall be displayed such that it may be read within the vicinity of the transmitter enclosure or antenna structure.

[64 FR 63731, Nov. 22, 1999]

#### §§ 21.202-21.208 [Reserved]

# § 21.209 Communications concerning safety of life and property.

(a) Handling and transmission of messages concerning the safety of life or property which is in imminent danger shall be afforded priority over other messages.

(b) No person shall knowingly cause to be transmitted any false or fraudulent message concerning the safety of life or property, or refuse upon demand immediately to relinquish the use of a radio circuit to enable the transmission of messages concerning the safety of life or property which is in imminent danger, or knowingly interfere or otherwise obstruct the transmission of such messages.

#### §21.210 Operation during emergency.

The licensee of any station in these services may, during a period of emergency in which normal communication facilities are disrupted as a result of hurricane, flood, earthquake, or similar disaster, utilize such station for emergency communication service in a manner other than that specified in the instrument of authorization: Provided, That (a) That as soon as possible after the beginning of such emergency use, notice be sent to the Commission at Washington, D.C. stating the nature of the emergency and the use to which the station is being put, and (b) that the emergency use of the station shall be discontinued as soon as substantially normal communication facilities are again available, and (c) that the